



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/568,046

02/10/2006

Carl Christensen

PU030244

2960

24498 7590 04/22/2010
Robert D. Shedd, Patent Operations
THOMSON Licensing LLC
P.O. Box 5312
Princeton, NJ 08543-5312

EXAMINER

SPITTLE, MATTHEW D

ART UNIT

PAPER NUMBER

2111

MAIL DATE

DELIVERY MODE

04/22/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/568,046	Applicant(s) CHRISTENSEN ET AL.	
	Examiner MATTHEW D. SPITTLE	Art Unit 2111	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 January 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

In view of the Appeal Brief filed on 1/29/2010, PROSECUTION IS HEREBY REOPENED. New grounds of rejection are set forth below in order to clarify how the prior art is applied in rejecting the claims. This action is a non-final action in order that

5 Applicant is not unduly burdened in making a proper response.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

10 (2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

15 A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below:

/Mark Rinehart/

Supervisory Patent Examiner, Art Unit 2111.

20 * * *

Claims 1 – 25 have been examined.

25

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

30

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

35

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

40

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

45

Claims 1 – 11, 13 – 17, and 19 – 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cornet et al. (U.S. 7,254,112) in view of Hsieh et al. (U.S. 5,625,780) and what is old and well known in this art as evidenced by Notarianni et al. (U.S. 5,301,346).

Regarding claims 1 and 14, Cornet et al. teach a router comprising:

50

A plurality of input cards (Fig. 1, 150, left side) for inputting data into the broadcast router;

A plurality of output cards (Fig. 1, 150, right side) for outputting the data from the broadcast router;

At least one device (Fig. 1, 106);

Cornet et al. fail to teach a programmable device, a configuration control card,
55 and the remaining limitations.

Hsieh et al. teach a programmable device (Fig. 2, 16);

A configuration control (Fig. 2, 30) for storing configuration information for configuring the at least one programmable device to perform a first set of functions (col. 5, line 67 – col. 6, line 12);

60 Wherein the configuration control is configured for removal and replacement by at least one other configuration control that stores other configuration information for configuring the at least one programmable device to perform a second set of functions having a difference from the first set of functions so as to change a functionality of the broadcast router (col. 6, lines 18 – 21).

65 Therefore, it would have been obvious to one of ordinary skill in this art at the time of invention by Applicant to incorporate the configuration control and programmable device as taught by Hsieh et al. into the system of Cornet et al. for the purpose of flexibly interconnecting cards and providing uniform capacitive load, as well as reducing signal delay (Hsieh et al.: col. 2, lines 12 - 34). This would have been
70 obvious in order to improve the performance of the system, as well as making it easily modifiable as the system changes.

Art Unit: 2111

Cornet et al. and Hsieh et al. fail to teach where the configuration control (ROM 30) is incorporated on a card. The Examiner takes Official Notice that it is old and well known in this art to incorporate a digital device (ROM) on a printed circuit board. This is
75 evidenced by Notarianni et al. (col. 21, lines 18 – 19).

Therefore, it would have been obvious to one of ordinary skill in this art at the time of invention by Applicant to incorporate the ROM of Hsieh et al. onto a printed circuit card. This would have been obvious since to do so is routine in this art.

80 Regarding claims 2, 15 and 20, Cornet et al. teach the additional limitation wherein the broadcast router employs switch points (col. 5, lines 24 – 29), the data received by the plurality of input cards (Fig. 1, LEFT 150) includes input streams (col. 4, lines 21 – 26), And the one or more functionalities comprise at least one of receiving alternate input streams (col. 3, lines 52 – 55).

85 Regarding claims 3, 16 and 21 Hsieh et al. teach the additional limitation wherein the configuration information comprises at least configuration data for FPGAs (where an FPGA may be interpreted as an FPID; col. 5, line 67 – col. 6, line 12).

90 Regarding claims 4 and 17, Hsieh et al. teach the additional limitation wherein the difference involves at least one of adding at least one new function and removing at least one existing function (col. 6, lines 4 – 10).

Regarding claims 5 and 22, Hsieh et al. fail to teach wherein the at least one
95 programmable device is on at least one of the plurality of input cards and the plurality of
output cards. However, this modification would be obvious in order to make the
programmable device more readily substituted. While programmable devices such as
the FPID of Hsieh et al. may be programmed in the field, placing it on a card would
allow a user of lesser expertise to perform an upgrade or change to the system.
100 Additionally, the Examiner notes that rearrangement of parts is not a patentable
distinction, because it would not modify the operation of the system. See *In re Japikse*,
181 F.2d 1019, 86 USPQ 70 (CCPA 1950).

Regarding claim 6, Hsieh et al. teach the additional limitation comprising:

105 An expansion device (Fig. 2, 22) for receiving the data from the plurality of input
cards and arranging the data for transfer within the broadcast router; and

A matrix device for receiving the data from the plurality of input cards for
subsequent routing within the broadcast router (Fig. 2, 24).

Cornet et al. and Hsieh et al. fail to teach where the expansion device and matrix
110 device are incorporated on cards. The Examiner takes Official Notice that it is old and
well known in this art to incorporate a digital device on a printed circuit board. This is
evidenced by Notarianni et al. (col. 21, lines 18 – 19).

Therefore, it would have been obvious to one of ordinary skill in this art at the
time of invention by Applicant to incorporate the matrix and expansion devices of Hsieh

Art Unit: 2111

115 et al. onto printed circuit cards. This would have been obvious since to do so is routine in this art.

Regarding claims 7 and 23, Hsieh et al. teach the additional limitation wherein at least one of the expansion card and the matrix card provides support protocols to
120 change input/output assignments of the data (col. 6, lines 4 – 10).

Regarding claim 8, Hsieh et al. fail to teach wherein the expansion card and the matrix card are implemented on a same card. However, this modification would be obvious in order to reduce cost as well as to decrease the overall footprint of the
125 system. Additionally, the Examiner notes that integration of prior art components is not a patentable distinction, because it would not modify the operation of the system. See In re Larson, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965).

Regarding claim 9, Hsieh et al. fail to teach wherein the at least one
130 programmable device is disposed on at least one of the expansion card and the matrix card. However, this modification would be obvious in order to make the programmable device more readily substituted. While programmable devices such as the FPID of Hsieh et al. may be programmed in the field, placing it on a card would allow a user of lesser expertise to perform an upgrade or change to the system. Additionally, the
135 Examiner notes that rearrangement of parts is not a patentable distinction, because it

Art Unit: 2111

would not modify the operation of the system. See *In re Japikse*, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950).

Regarding claims 11 and 24, Hsieh et al. fail to teach wherein the at least one
140 programmable device is disposed on at least the control card. However, this
modification would be obvious in order to make the programmable device more readily
substituted. While programmable devices such as the FPID of Hsieh et al. may be
programmed in the field, placing it on a card would allow a user of lesser expertise to
perform an upgrade or change to the system. Additionally, the Examiner notes that
145 rearrangement of parts is not a patentable distinction, because it would not modify the
operation of the system. See *In re Japikse*, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950).

Regarding claim 13, Hsieh et al. teach the additional limitation wherein the
configuration control card comprises a user-input device for receiving a user input for
150 initiating a configuration of the at least one programmable device (col. 7, lines 27 – 51;
col. 8, lines 3 – 25).

Regarding claim 19, Cornet et al. teach a router comprising:

A plurality of input cards (Fig. 1, 150, left side) for inputting data into the
155 broadcast router;

A plurality of output cards (Fig. 1, 150, right side) for outputting the data from the
broadcast router;

At least one device (Fig. 1, 106);

160 An expansion device (Fig. 2, 22) for receiving the data from the plurality of input cards and arranging the data for transfer within the broadcast router; and

A matrix device for receiving the data from the plurality of input cards for subsequent routing within the broadcast router (Fig. 2, 24).

165 Cornet et al. and Hsieh et al. fail to teach where the expansion device and matrix device are incorporated on cards. The Examiner takes Official Notice that it is old and well known in this art to incorporate a digital device on a printed circuit board. This is evidenced by Notarianni et al. (col. 21, lines 18 – 19).

170 Therefore, it would have been obvious to one of ordinary skill in this art at the time of invention by Applicant to incorporate the matrix and expansion devices of Hsieh et al. onto printed circuit cards. This would have been obvious since to do so is routine in this art.

Cornet et al. fail to teach a programmable device, a configuration control card, and the remaining limitations.

Hsieh et al. teach a programmable device (Fig. 2, 16);

175 A configuration control (Fig. 2, 30) for storing configuration information for configuring the at least one programmable device to perform a first set of functions (col. 5, line 67 – col. 6, line 12);

Wherein the configuration control is configured for removal and replacement by at least one other configuration control that stores other configuration information for configuring the at least one programmable device to perform a second set of functions

Art Unit: 2111

180 having a difference from the first set of functions so as to change a functionality of the broadcast router (col. 6, lines 18 – 21).

Therefore, it would have been obvious to one of ordinary skill in this art at the time of invention by Applicant to incorporate the configuration control and programmable device as taught by Hsieh et al. into the system of Cornet et al. for the purpose of flexibly interconnecting cards and providing uniform capacitive load, as well
185 as reducing signal delay (Hsieh et al.: col. 2, lines 12 - 34). This would have been obvious in order to improve the performance of the system, as well as making it easily modifiable as the system changes.

Cornet et al. and Hsieh et al. fail to teach where the configuration control (ROM
190 30) is incorporated on a card. The Examiner takes Official Notice that it is old and well known in this art to incorporate a digital device (ROM) on a printed circuit board. This is evidenced by Notarianni et al. (col. 21, lines 18 – 19).

Therefore, it would have been obvious to one of ordinary skill in this art at the time of invention by Applicant to incorporate the ROM of Hsieh et al. onto a printed
195 circuit card. This would have been obvious since to do so is routine in this art

An expansion device (Fig. 2, 22) for receiving the data from the plurality of input cards and arranging the data for transfer within the broadcast router; and

A matrix device for receiving the data from the plurality of input cards for subsequent routing within the broadcast router (Fig. 2, 24).

200 Cornet et al. and Hsieh et al. fail to teach where the expansion device and matrix device are incorporated on cards. The Examiner takes Official Notice that it is old and

Art Unit: 2111

well known in this art to incorporate a digital device on a printed circuit board. This is evidenced by Notarianni et al. (col. 21, lines 18 – 19).

Therefore, it would have been obvious to one of ordinary skill in this art at the
205 time of invention by Applicant to incorporate the matrix and expansion devices of Hsieh et al. onto printed circuit cards. This would have been obvious since to do so is routine in this art.

* * *

210

Claims 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Cornet et al. (U.S. 7,254,112) in view of Hsieh et al. (U.S. 5,625,780) and what is old and well known in this art as evidenced by Notarianni et al. (U.S. 5,301,346) and Bennett (U.S. 6,539,534).

215

Regarding claim 10, Hsieh et al. teach the additional limitation comprising a control device for providing support protocols to change input/output assignments of the data (col. 5, line 67 – col. 6, line 4), but fail to teach the device disposed on a control card.

220

. The Examiner takes Official Notice that it is old and well known in this art to incorporate a digital device on a printed circuit board. This is evidenced by Bennett (Fig. 3, 305).

Therefore, it would have been obvious to one of ordinary skill in this art at the time of invention by Applicant to incorporate the matrix and expansion devices of Hsieh

Art Unit: 2111

et al. onto printed circuit cards. This would have been obvious since to do so is routine

225 in this art.

* * *

Claims 12, 18 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable
230 over Cornet et al. (U.S. 7,254,112) in view of Hsieh et al. (U.S. 5,625,780), Watanabe et
al. (U.S. 4,764,959), and what is old and well known in this art as evidenced by
Notarianni et al. (U.S. 5,301,346).

Regarding claims 12, 18 and 25, Cornet et al. and Hsieh et al. fail to teach
wherein at least a portion of the configuration information and the other configuration
235 information is encrypted.

Watanabe et al. teach encrypting configuration information on a ROM (as in
Hsieh et al.) for the purpose of preventing the information from being copied by a third
party (col. 1, lines 47 - 53; col. 3, lines 12 - 28).

Therefore, it would have been obvious to one of ordinary skill in this art at the
240 time of invention by Applicant to incorporate the encryption means of Watanabe et al.
into the ROM of Cornet et al. and Hsieh et al. for the purpose of preventing the
information from being copied by a third party. This would have been obvious for
copyright protection purposes.

245

Conclusion

Any inquiry concerning this communication or earlier communications from the
250 examiner should be directed to MATTHEW D. SPITTLE whose telephone number is
(571)272-2467. The examiner can normally be reached on Monday - Friday, 9 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's
supervisor, Mark Rinehart can be reached on 571-272-3632. The fax phone number for
the organization where this application or proceeding is assigned is 571-273-8300.

255 Information regarding the status of an application may be obtained from the
Patent Application Information Retrieval (PAIR) system. Status information for
published applications may be obtained from either Private PAIR or Public PAIR.
Status information for unpublished applications is available through Private PAIR only.
For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should
260 you have questions on access to the Private PAIR system, contact the Electronic
Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a
USPTO Customer Service Representative or access to the automated information
system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

265 /M. D. S./
Examiner, Art Unit 2111